



FALL PROTECTION FOR TOOLS®

THE ULTIMATE IN FALL PROTECTION





THE LEADERS IN DROP PREVENTION

There is a reason Python Safety brand is trusted by hundreds of organisations around the world. No matter what your drop prevention needs are, Python Safety is equipped to help you achieve your goals.

NO PROBLEM IS TOO BIG OR SMALL

Whether you're in need of a specific product, or you're ready to implement an entire drop prevention system, our team is ready to assist you every step of the way.

WE CAN HELP YOU CREATE & DEPLOY A PLAN

After years of helping sites deploy drop prevention systems, we worked with industry experts to develop the world's most popular Drop Prevention Plan.

RESOURCES AT YOUR FINGERTIPS

Videos, pocket guides, online guides, posters, stickers... we have it all. We're capable of supporting you and your team with materials that get the job done.

SCHEDULE A CALL OR MEETING TODAY

Our highly dedicated and skilled team is ready to assist you in any way possible.

DBI-SALA® and Python Safety®, two highly respected brands in the fall protection industry, have come together to bring a new level of innovation to safety.



DBI-SALA® is known as the premier brand of fall protection and rescue equipment around the world. For more than 70 years DBI-SALA® has provided the best solutions for workers at height, no matter which industry you work in.

Python Safety has more than a decade of experience developing products to prevent dropped tools and equipment. Its innovative line of products makes work environments safer and more productive by protecting workers from hazards that can result in personal injury, equipment damage, and tool loss.

With a relentless commitment to innovation, and a tireless determination to respond to the needs of our customers and deliver the best products and services in the industry, we employ the best teams to create innovative solutions to keep workers at height safe around the world.

THIRD PARTY TESTED

Python Safety third-party tests products with Applied Technical Services (ATS), an Atlanta-based consulting engineering firm with sophisticated testing and inspection capabilities. ATS is ISO 9001 Certified, and an accredited testing lab of the Nuclear Regulatory Commission. As a part of Python Safety's product development and quality assurance processes, ATS conducts static or dynamic load tests to determine the safe working load limits based on the solution's intended use.



TABLE OF CONTENTS

Attachment Points	4
Tool Lanyards	6
Tool Holsters	8
Spill Control Buckets	10

CUSTOMER SERVICES

 00 800 999 55500

 information@capitalsafety.com

 capitalsafety.com



1500003
DR-0.5X2.25



1500007
DR-1X3.5

D-RINGS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING	DIMENSIONS	NON-CONDUCTIVE
1500003	DR-0.5X2.25-10PK	D-Ring (10 Pack)	0.9 kg (2 lbs)	14 mm x 57 mm (0.5" x 2.25")	No
1500007	DR-1X3.5-10PK	D-Ring (10 Pack)	2.3 kg (5 lbs)	27 mm x 90 mm (1" x 3.5")	No

- D-Rings can be attached to virtually any tool under 2.3 kg (5 lb) or 0.9 kg (2 lbs) using Python Safety Quick Wrap Tape.
- Creates an instant attachment point in less than a minute.
- Dual D-Rings allow for 100% Tool Tie-Off during tool transfers.



QUICK WRAP TAPE

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QUANTITY	LENGTH
1500036	QW-HDBLU1-10PK	Quick Wrap Blue Heavy Duty 2.5 cm (1") wide	10	274 cm (108")
1500045	QW-HDYLW1-10PK	Quick Wrap Yellow Heavy Duty 2.5 cm (1") wide	10	274 cm (108")

- Conforms to the shape of whatever it is applied to.
- Used with Python Safety D-Rings and Tool Cinch Attachments to create instant tethering points on virtually any tool.
- Made from a self-fusing silicone rubber that leaves no adhesive or residue behind.
- Inner fibreglass webbing increases the strength of the tape and makes the tape resistant to sharp objects.



1500045
QW-HDYLW1-10PK

1500003
DR-0.5X2.25-10PK



TOOL CINCH ATTACHMENTS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	STABILISATION WINGS	COMMON TOOLS
1500016	VR-2ATTACHMD-10PK	15.9 kg (35 lbs)	2	Pinch Bars, Sledge Hammers, Slugging Wrenches, Clamps.

- Tool Cinch Attachments feature a cinch design that allows users to quickly secure equipment up to 15.9 kg (35 lbs).
- Stabilisation Wings can be used to keep Tool Cinch Attachments in place using Python Safety Quick Wrap Tape.




1500009
DR-CORD

D-RING CORD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING
1500009	DR-CORD-10PK	D-Ring Cord	2.3 kg (5 lbs)

- Easily cinches to tools weighing up to 2.3 kg (5 lbs).
- Simply pass the loop end of a D-Ring Cord through a pre-drilled hole or closed handle to create an instant attachment point.
- Extremely durable, and reusable.



MEDIUM DUTY HOOK2LOOP LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500050	EXT-H2L1X72MD	15.9 kg (35 lbs)	182.9 cm (72")

- Features an aluminum double-action twist-lock carabiner to prevent accidental opens.



TRIGGER TO TRIGGER LANYARDS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	QTY	LOAD RATING	LENGTH
1500054	EXT-T2T0.5X12-10PK	10	4.5 kg (10 lbs)	30.48 cm (12")

- Thumb controlled Trigger Snaps on both sides of these lanyards are easy to operate, even while wearing gloves.
- Trigger Snaps swivel making them tangle resistant.



HEAVY DUTY HOOK2LOOP LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500051	EXT-H2L1X72HD	36.3 kg (80 lbs)	182.9 cm (72")

- Features an aluminium double-action twist-lock carabiner to prevent accidental opens.



HEAVY DUTY HOOK2RAIL LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500052	EXT-H2R1X72HD	36.3 kg (80 lbs)	182.9 cm (72")

- Features an aluminum double-action twist-lock carabiner to prevent accidental opens.
- Large double-action twist-lock rail carabiner.



ADJUSTABLE WRISTBANDS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QTY	LOAD RATING
1500083	WB-ADJ-10PK	Adjustable Wristband	10	2.3 kg (5 lbs)



ADJUSTABLE WRISTBAND

The Python Safety Adjustable Wristband uses a hook and loop system to adjust to any wrist size. An elastic band helps ensure a comfortable fit.



QUICK SPINS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DIAMETER	LOAD RATING
1500027	QS-S-10PK	1.5 cm (0.6")	0.5 kg (1 lb)
1500028	QS-M-10PK	2 cm (0.8")	0.5 kg (1 lb)
1500029	QS-L-10PK	2.5 cm (1")	0.5 kg (1 lb)
1500030	QS-XL-10PK	3.1 cm (1.2")	0.5 kg (1 lb)



- Simply slides onto the handle of a tool in seconds.
- Swivel spin top makes Quick Spins tangle resistant.
- Reusable and suitable for non-conductive use.

COIL TETHERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QUANTITY	LOAD RATING	LENGTH (RELAXED)	LENGTH (STRETCHED)
1500060	EXT-C2LCOIL-10PK	Clip2Loop Coil Tether	10	0.9 kg (2 lbs)	17.8 cm (7")	86.4 cm (34")
1500061	EXT-HARDHAT-10PK	Hard Hat Tether	10	0.9 kg (2 lbs)	10.2 cm (4")	86.4 cm (34")
1500064	EXT-H2HCOIL-10PK	Hook2Hook Coil Tether	10	2.3 kg (5 lbs)	10.2 cm (4")	157.5 cm (62")
1500068	EXT-T2TCOIL-10PK	Trigger2Trigger Coil Tether	10	2.3 kg (5 lbs)	4.4 cm (1.75")	70 cm (27")



HOOK2HOOK COIL TETHER
With a relaxed length of 12.7 cm (5"), and a stretched length of 157.5 cm (62"), this tool lanyard stays out of the way when not in use.

HARD HAT TETHER
The Hard Hat Tether utilises a compact coil design that keeps the lanyard out of the way of the user, and is easy to clean.

CLIP2LOOP COIL TETHER
Quick and secure solution for tethering cameras, cell phones, radios, and other small objects.

TRIGGER2TRIGGER COIL TETHER
The compact design of the Double Trigger Coil Tether makes it the perfect lanyard to be used from Wristbands.



BUNGEE TETHERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING	LENGTH (RELAXED)	LENGTH (STRETCHED)
1500048	EXT-H2LBUNGEE-10PK	Hook2Loop Bungee Tether (10 Pack)	4.5 kg (10 lbs)	81.3 cm (32")	119.4 cm (47")
1500049	EXT-H2LBUNGEEMD	Medium Duty Hook2Loop Bungee Tether	15.9 kg (35 lbs)	78.7 cm (31")	132.1 cm (52")

INTRODUCING SMART HOLSTERS

At Python, we always strive to make your job easier and safer. That's why our next-generation Smart Holsters™ are packed with intelligent new productivity features.

BEACON™ HI-VISIBILITY REFLECTORS

Products equipped with Python Safety Beacon™ Hi-Vis Reflectors are always easy to identify and locate, even when left in dark spaces. Highly reflective material is stitched into the front and back of the holster allowing it to be detected in low light conditions with a flashlight.



A FASTER, SMARTER WAY TO HOLSTER WITH QUICK-MAG™

Quick-Mag™ speeds up your workflow and reduces how often your tools need to be holstered. A powerful magnetic tool staging system allows tools to simply stick to the holster ensuring that your tools are always at the ready.



BOTTOM DRAIN VENT

Even in rainy weather conditions, holsters with a drain vent stay in outstanding working form. The vent helps keep the holster dry by allowing water to pass through, protecting your tools from rusting, and protecting your holster from dry rot.



PATENT PENDING

1500107
HOL-2TOOLBLTRET



PATENT PENDING

1500109
HOL-2TOOLHARRET



PATENT PENDING

1500104
HOL-1TOOLHARRET

SINGLE AND DUAL TOOL HOLSTERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	RETRACTORS INCLUDED
1500109	HOL-2TOOLHARRET	Dual Tool Harness Holster with Retractors	2x
1500107	HOL-2TOOLBLTRET	Dual Tool Belt Holster with Retractors	2x
1500104	HOL-1TOOLHARRET	Single Tool Harness Holster with Retractor	1x

- Single and Dual Tool Holsters are equipped with D-Rings that are load rated for 2.3 kg (5 lbs).
- Several variants of these holsters come with Python Safety Retractors. Retractors are load rated for 0.7 kg (1.5 lbs).
- Single and Dual Tool Holsters feature Beacon™ Hi-Vis Reflectors and the Quick-Mag™ magnetic tool staging system.
- A bottom drain vent allows the holster to work even in wet conditions.



ADJUSTABLE RADIO HOLSTER

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500088	HOL-ADJRADIO	Adjustable Radio Holster
1500089	HOL-ADJRADIOCOMBO	Adjustable Radio Holster, Clip2Loop Coil Tether and Micro D-Ring

- Holster adjusts to fit virtually any handheld radio, mobile phone, and many other devices.
- Can be worn from Belt or Harness.
- A Micro D-Ring can be placed on the back of a device, and can then be tethered to a D-Ring on the front of the Adjustable Radio Holster using a Clip2Loop Coil Tether.

SMALL PARTS POUCHES

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	PRODUCT VARIANT
1500119	PCH-PARTS-CB	Canvas Black
1500123	PCH-PARTSXD-CB	Extra Deep Canvas Black

- Innovative self-closure system that traps objects inside, the pouch makes it nearly impossible for objects to fall out once placed in the bag.
- Easy to retrieve objects since no opening or closing is necessary.
- Compatible with most tool belts.



The Small Parts Pouch is designed for small parts such as nuts, bolts, screws and nails.



Items are placed inside the pouch, at which point they are immediately secured by the self-closure system.



Even when the pouch is flipped vertically, the pouch traps objects inside, making it nearly impossible for items to fall out.

SAFE BUCKETS

Safe Buckets are designed to be used at height, and each have a built in closure system that helps prevent dropped objects.

CLOSURE SYSTEMS

Every Safe Bucket is manufactured with either a unique patent pending drawstring or hook and loop closure system which helps prevent accidental drops.



BUILT IN CONNECTION POINTS

The Safe Bucket was engineered to be used with tools at height, and includes multiple connection points that can be tethered to.

HIGH QUALITY CANVAS AND VINYL

Safe Buckets are available in both heavy-duty canvas and vinyl variants that are load rated for 45.4kg (100 lbs) and 113.4kg (250 lbs) respectively.

LOCKING HOOK AND LOOP CLOSURE SYSTEMS

Python Safety has engineered a hook and loop closure system that acts as an extra layer of protection to guard against spills during transport and lifting.

Indicator tabs on the buckets closure system act as strong visual cues that indicate when the bucket is in Lockdown mode, or in easy access mode.





PUNCTURE RESISTANT

Sewn into the bottom of every Safe Bucket is hard composite plating that protects the bucket from accidental punctures. A protective leather sleeve covers the inserts that is resilient to the elements and harsh work environments.

CARABINER AND HOISTING STRAP

Instead of rope which is susceptible to fraying, a heavy-duty hoisting/shoulder strap is built into every Safe Bucket. Each bucket is also equipped with a high-quality and lightweight aluminium twist-lock carabiner load rated for 30 kN (6,700 lbs). There is no need to worry about a knot failing, or a non-locking carabiner which may slip off a connection point.



STANDARD SAFE BUCKET MODELS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	CLOSURE SYSTEM	BODY MATERIAL	HEIGHT/DIAMETER	CAPACITY
1500134	BKT-100HLC	45.4 kg (100 lbs)	Hook and Loop	Canvas	38 cm/31.75 cm (15"/12.5")	1840 ^{m3} (30,152 cm ³)
1500133	BKT-100DRAWC	45.4 kg (100 lbs)	Drawstring	Canvas	38 cm/31.75 cm (15"/12.5")	1840 ^{m3} (30,152 cm ³)
1500140	BKT-250HLV	113.4 kg (250 lbs)	Hook and Loop	Vinyl	38 cm/31.75 cm (15"/12.5")	1840 ^{m3} (30,152 cm ³)
1500139	BKT-250DRAWV	113.4 kg (250 lbs)	Drawstring	Vinyl	38 cm/31.75 cm (15"/12.5")	1840 ^{m3} (30,152 cm ³)

HARD BODY SAFE BUCKET INSERT

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500141	BKT-HBINSERT	Hard Body Safe Bucket Insert

- Converts a standard soft body Safe Bucket into a Hard Body Safe Bucket.
- The Hard Body Safe Bucket Insert it a reusable Insert that keeps your Safe Bucket standing upright making it easier to stage tools from.
- 4 inner pockets are built in allowing tools to quickly be holstered and organised.





a 3M company

Now part of



GLOBAL LEADER IN FALL PROTECTION

Capital Safety is the Global leader in fall protection equipment, systems and anchors.

Capital Safety est le leader mondial en matière d'équipement, de systèmes et d'ancrages de protections antichute.

Capital Safety ist weltweit führend auf dem Gebiet von Absturzsicherungs-ausrüstung, -systemen und Anschlagmöglichkeiten.

Capital Safety es el líder mundial en equipos, sistemas y anclajes de protección contra caídas.

Capital Safety is wereldleider in valbeveiligingsapparatuur, -systemen en verankeringen.

Capital Safety è leader globale nell'anticaduta per dispositivi di protezione individuale, sistemi e ancoraggi.

Capital Safety är globala inom utrustning, system och förankringar för fallskydd.

EUROPE, MIDDLE EAST & AFRICA

UK

5a Merse Road, North Moons Moat
Redditch, B98 9HL, UK
t: +44 (0) 1527 548 000
f: +44 (0) 1527 591 000

FRANCE

Le Broc Center, Bâtiment A
Z.1. 1re Avenue – BP15
06511 Carros Le Broc, Cedex, FRANCE
t: +33 (0) 4 97 10 00 10
f: +33 (0) 4 93 08 79 70

GERMANY

Hagener Straße 44
57489 Drolshagen, GERMANY
t: +49 (0) 2 76 18 33 82 29
f: +49 (0) 2 76 18 33 81 93

DUBAI

P.O. BOX 17769, Jebel Ali Free Zone
Jafza Lobby N° 15, Office N° 15315
(3rd Floor), DUBAI – UAE
t: +971 (0) 4 88 11 4 66
f: +971 (0) 4 88 11 4 67

All rights reserved. The material contained herein is copyrighted; no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior written permission from Capital Safety.

Capital Safety Group (Northern Europe) Limited, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Registered in England and Wales No. 1918922.

CUSTOMER SERVICES

☎ 00 800 999 55500

✉ information@capitalsafety.com

🌐 capitalsafety.com



🐦 @CapitalSafetyUK

📘 facebook.com/CapitalSafety

📺 youtube.com/CapitalSafetyEMEA

Ref: 9701415